

## Resource 8-1: Irritable Bowel Syndrome (IBS) vs. Inflammatory Bowel Disease (IBD)

## What Do These Conditions Have in Common?

History of chronically recurring symptoms of abdominal pain, discomfort, urgency, bloating and alterations in bowel habits

How Do These Conditions Differ?	
Inflammatory bowel disease (IBD; ulcerative colitis [UC], Crohn's disease)	
Intestinal ulceration, inflammation, detectable microscopically and macroscopically  Crohn's: mouth to anus  UC: colon only	
Rectal bleeding, diarrhea, fever, weight loss, laboratory evidence of inflammation (elevated CRP or ESR, others); leukocytosis, especially during flares	
Intervention	
<ul> <li>Lifestyle modification similar to IBS, recognizing variation in response</li> <li>Anti-inflammatory medications, including aminosalicylates, systemic or local corticosteroids, as indicated by clinical presentation and response</li> <li>Biologics, particularly when no response to anti-inflammatory medications</li> <li>Surgical intervention often needed, as well as careful ongoing monitoring for GI malignancy</li> <li>Expert consultation is warranted.</li> </ul>	

Sources: Rowe WA. Inflammatory Bowel Disease, available at https://emedicine.medscape.com/article/179037-overview Lehrer JK. Irritable Bowel Syndrome, available at https://emedicine.medscape.com/article/180389-overview

Fitzgerald Health Education Associates. All rights reserved. Reproduction is prohibited. Prior permission required for use of questions or course content.